

Lite-On Technology Corporation.

Power SBG

Model: PA-1650-41LS

Update: 05/30/2022

Version: 06

Part List

Date: 06/06/2022

Board	Qty	Owner																	
Board	Item	F	R	Part No	Old Part No	Description	Maker	Maker PN	FileNo	Location	Qty	Unit							
MB	1																		
MB	1001	818058		33-SMSB30KH13-ROHS		BRG 800V 3A MSB30KH MSBL	LITE-ON SEMI	MSB30KH	RD-AP1605129A	D050	1	PC							
MB	1001-A	827767		33-SYBS3007G71-HF		BRG 1000V 3A YBS3007G SMD	TS	YBS3007G	RD-AP2003566B		0	PC							
MB	1001-B	825443		33-SMSB30M13-HF		BRG 1000V 3A MSB30M	LITE-ON SEMI	MSB30M	RD-AP1606396A		0	PC							
MB	1001-C	827329		33-SGSB30M-E147-HF		BRG 1000V 3A GSB30M-E	GULF	GSB30M-E	RD-AP1812200B		0	PC							
MB	1002	*	8A02T2	32-SSWI0083S000100R04-2		IC PWM 8P RT7791PLFGS SOP	RICHTEK	RT7791PLFGS	RD-AP1905281B	IC100	1	PC							
MB	1003	826421		33-RHER208G71-ROHS		DIO 1000V 2A HER208G DO15	TS	HER208G A0	RD-AP1705164A	D052	1	PC							
MB	1003-A	826799		33-RUG200713-ROHS		DIO 1000V 2A UG2007 DO15	LITE-ON SEMI	UG2007	RD-AP1710523A		0	PC							
MB	1005	811838		33-SBAV21W13-HF		DIO 250V 0.2A BAV21W SOD123	LITE-ON SEMI	BAV21W	RD-AP1604286B	D201	1	PC							
MB	1005-A	811604		33-SBAV21W-G71-HF		DIO 250V 0.2A BAV21W-G SOD123	TS	BAV21W-G RHG	RD-AP1512501B		0	PC							
MB	1005-B	769345		33-SBAV21W67-HF		DIO 200V 0.2A BAV21W SOD123	PANJIT	BAV21W	RD-AP1001228A		0	PC							
MB	1005-C	768645		33-SBAV21W-V-G24-HF		DIO 200V 0.25A BAV21W-V-G SOD123	VISHAY	BAV21W-V-G	RD-AP1011094A		0	PC							
MB	1006	798049		L1V-100T-1P1-G-HF		IC PHO 4PLTV-100T-TP1-GB0-160SOP	LITE-ON	LTV-100T-1P1-G	RD-AP1603427C	PC300	1	PC							
MB	1006-A	*	820397	32-STLP385D4YHTR31-HF		IC PHO 4P TLP385D4YHTR 75-150SOP	TOSHIBA	TLP385(D4YH-TR,E(T	RD-AP1604199A		0	PC							
MB	1008	810955		33-S1N4148W-HF13-HF		DIO 100V 0.15A 1N4148W-HF SOD123	LITE-ON SEMI	1N4148W-HF	RD-AP1711005C	D102,D301,D302	3	PC							
MB	1008-A	811490		33-S1N4148W-G71-HF		DIO 100V 0.15A 1N4148W-G SOD123	TS	1N4148W-G RHG	RD-AP13122337A		0	PC							
MB	1008-B	763502		33-S1N4148W67-HF		DIO 75V 0.15A 1N4148W SOD123	PANJIT	1N4148W	RD-AP0808339A		0	PC							
MB	1008-C	754479		33-S1N4148W-V24-ROHS		DIO 75V 0.15A 1N4148W-V SOD123	VISHAY	1N4148W-V	RD-AP0601383A		0	PC							
MB	1009	786332		33-SS2MHA-HF13-HF		DIO 1000V 2A S2MHA-HF SMA	LITE-ON SEMI	S2MHA_HF	RD-AP1012083A	D051	1	PC							
MB	1009-A	793781		33-SS2MA-02-G71-HF		DIO 1000V 2A S2MA-02-G SMA	TS	S2MA-02-G	RD-AP1204088A		0	PC							
MB	1009-B	810408		33-SS2MA67-HF		DIO 1000V 2A S2MA SMA	PANJIT	S2MA	RD-AP1310273A		0	PC							
MB	1009-C	785785		33-SSA2M-M324-HF		DIO 1000V 2A SA2M-M3 SMA	VISHAY	SA2M-M3	RD-AP1110938A		0	PC							
MB	1010	791098		34-FTK11A65D31-ROHS		MFET N650V11A07TK11A65DT0220SIS	TOSHIBA	TK11A65D	RD-AP2105273D	Q050	1	PC							
MB	1010-A	825450		34-FIPAN65R650CE33-HF		MFET N 650V 10A0.65 IPAN65R650CE	INFINEON	IPAN65R650CE	RD-AP2112339C		0	PC							
MB	1010-B	793026		34-FTK11A65DX31-HF		MFET N 650V 11A 0.7TK11A65DXSC67	TOSHIBA	TK11A65DX	RD-AP1607515C		0	PC							
MB	1010-D	766233		34-FTK12A65D31-ROHS		MFET N 650V 12A 0.54TK12A65DSC67	TOSHIBA	TK12A65D	RD-AP1811267A		0	PC							
MB	1010-E	821234		34-FTK13A65D31-ROHS		MFET N 650V 13A 0.47 TK13A65D	TOSHIBA	TK13A65D	RD-AP1607166A		0	PC							
MB	1010-F	8A045L		34-DMSNIPAN80000100106-2		MFET N 800V 11A 0.45IPAN80R450P7	INFINEON	IPAN80R450P7	RD-AP1809333A		0	PC							
MB	1010-G	8A045P		34-DMSNIPAN80000200106-2		MFET N 800V 13A 0.36IPAN80R360P7	INFINEON	IPAN80R360P7	RD-AP2111161B		0	PC							
MB	1010-H	8A05H0		34-DMSNIPAN70000200106-2		MFETN700V12.5A0.36IPAN70R360P7S	INFINEON	IPAN70R360P7S	RD-AP2112336B		0	PC							
MB	1010-I	8A05M2		34-DMSNIPAN70000100106-1		MFET N 700V 8.5A0.6IPAN70R600P7S	INFINEON	IPAN70R600P7S	RD-AP2112337B		0	PC							
MB	1010-J	8A05M3		34-DMSNIPAN70000200106-1		MFET N 700V6 5A0.75IPAN70R750P7S	INFINEON	IPAN70R750P7S	RD-AP2112338B		0	PC							
MB	1010-K	8A05VH		34-DMSNIPAN70000300106-1		MFET N 700V 10A0.45IPAN70R450P7S	INFINEON	IPAN70R450P7S	RD-AP1810533A		0	PC							
MB	1012	8A0631		34-SMSNAOSP32000100A22-2		MFET N 30V 16A 0.0055AOSP32368SO	ALPHA & OMEGA	AOSP32368	RD-AP1909265B	Q300	1	PC							
MB	1012-A	8A03BW		34-SMSNAP4426000100A36-2		MFET N 30V16A0.0065AP4426GM-HFSO	APEC	AP4426GM-HF	RD-AP1805136A		0	PC							
MB	1012-B	8A03L5		34-SMSNFDS889000100127-2		MFET N 30V 15A 0.006 FDS8896 SO	ON	FDS8896	RD-AP1806223A		0	PC							
MB	1012-C	824570		34-STPC8062-H31-HF		MFET N 30V 18A 0.058 TPC8062-H	TOSHIBA	TPC8062-H	RD-AP1806094A		0	PC							
MB	1012-D	8A00MK		34-SMSNSVT035000100SA0-2		MFETN30V21A0.0055SVT035R5NSATR	SILAN	SVT035R5NSATR	RD-AP2108464A		0	PC							
MB	1013	813505		33-SRS1006D171-HF		DIO 600V 1A RS1006D1 SOD123	TS	RS1006D1 RHG	RD-AP14067095A	D200	1	PC							
MB	1013-A	815030		33-SFS1ME13-HF		DIO 1000V 1A FS1ME DO219AA	LITE-ON SEMI	FS1ME_HF	RD-AP1412299B		0	PC							
MB	1013-B	824555		33-SGS1010FL67-HF		DIO 1000V 1A GS1010FL SOD123FL	PANJIT	GS1010FL	RD-AP1603380A		0	PC							
MB	1013-C	828066		33-SS1MFL71-HF		DIO 1000V 1A S1MFL SOD123FL	TS	S1MFL_RVG	RD-AP1806095A		0	PC							
MB	1014	*	8A0GQK	32-SMCU01038S00080R04-2		IC MCU 10P RT7202KFGS-ABAD2	RICHTEK	RT7202KFGS-ABAD2	RD-AP2112153B	IC300	1	PC							
MB	1014-A	*	8A02UY	32-SMCU01038S000200R04-2		IC MCU 10P RT7202KFGS-ABAD1-E3	RICHTEK	RT7202KFGS-ABAD1-E3	RD-AP1903363A		0	PC							

Part List
MASS PRODUCTION

Lite-On Technology Corporation.

Date: 06/06/2022

Power SBG

Model: PA-1650-41LS

Update: 05/30/2022

Version: 06

Board	Qty	Owner	Part Number	Description	Supplier	Part Number	Description	Supplier	Part Number	Description	Supplier
MB	1015	*	8A03N9	32-SW100834S000200M19-2	IC SR CONTROL 8P LTA1805GS SOIC	MPS	LTA1805GS	RD-AP1810647A	IC200	1 PC	
MB	1038		829353	33-SL35L24VCB213-HF	TVS 350W 24V L35L24VCB2 SOD323	LITE-ON SEMI	L35L24VCB2	RD-AP1804322A	ZD310	1 PC	
MB	1038-A		820907	33-STESDC24VRRG71-HF	TVS 500W 24V TESDC24V RRG SOD323	TS	TESDC24V RRG	RD-AP1804407A		0 PC	
MB	1038-B		821195	33-SPESD24VSTUA18-HF	TVS 160W 24V PESD24VS1UA SC76	NXP	PESD24VS1UA	RD-AP1609248A		0 PC	
MB	1038-C		823487	33-SSD24-01FTG86-HF	TVS 450W 24V SD24-01FTG	LITTELFUSE	SD24-01FTG	RD-AP1604932A		0 PC	
MB	1039		820366	33-SBZT52B33-GRHG71-HF	Z.D 0.41W33VBZT52B33-GRHGSOD123	TS	BZT52B33-G RHG	RD-AP1705143A	ZD201	1 PC	
MB	1039-A		829992	33-SMMSZ5257BT1G11-HF	Z.D 0.5W 33V MMSZ5257BT1G SOD123	ON	MMSZ5257BT1G	RD-AP1711270A		0 PC	
MB	1039-B		826770	33-SBZT52-B3367-HF	Z.D 0.41W 33V BZT52-B33 SOD123	PANJIT	BZT52-B33	RD-AP1612311A		0 PC	
MB	1039-D		829993	33-SMMSZ5257B-V24-HF	Z.D 0.5W 33V MMSZ5257B-V SOD123	VISHAY	MMSZ5257B-V	RD-AP1711224A		0 PC	
MB	2002		912610	30-S1000F10SA17A-HF	R.MF 100 1/10W F 0603 WR WALSIN	WALSIN	WR06X1000FTL	RD-AP2006069AM	R202	1 PC	
MB	2002-A		911684	30-S1000F10SA6-HF	R.MF 100 1/10W F 0603 RTT RALEC	RALEC	RTT031000FTP	RD-AP2111335BJ		0 PC	
MB	2002-B		900451	30-S1000F10SA2-HF	R.MF 100 1/10W F 0603 RC YAGEO	YAGEO	RC0603FR-07100RL	RD-AP2011032AY		0 PC	
MB	2002-C		902641	30-S1000F10SA4-HF	R.MF 100 1/10W F 0603 RM TAI	TAI	RM06FTN1000	RD-AP0809293E		0 PC	
MB	2003		919243	30-S4700F10SA17-HF	R.MF 470 1/10W F 0603 WR WALSIN	WALSIN	WR06X4700FTL	RD-AP2111013CD	R057	1 PC	
MB	2003-A		913111	30-S4700F10SA6-HF	R.MF 470 1/10W F 0603 RTT RALEC	RALEC	RTT034700FTP	RD-AP2111335BJ		0 PC	
MB	2003-B		907754	30-S4700F10SA2-HF	R.MF 470 1/10W F 0603 RC YAGEO	YAGEO	RC0603FR-07470RL	RD-AP2011032AY		0 PC	
MB	2004		919245	30-S4302J2SA17-HF	R.CF 43K 1/2W J 1206 WF WALSIN	WALSIN	WF12P43JJTL	RD-AP2106051AV	R052,R052-1	2 PC	
MB	2004-A		919247	30-S4302J2SA4-HF	R.CF 43K 1/2W J 1206 RMH TAI	TAI	RHM12JT433	RD-AP2108036AL		0 PC	
MB	2005		916135	30-S470AJ8SA17A-HF	R.CF 47 1/8W J 0805 WK WALSIN	WALSIN	WK08S470_JTL	RD-AP1610194E	R055	1 PC	
MB	2005-A		915994	30-S470AJ4SA6A-HF	R.SR 47 1/4W J 0805 RTG RALEC	RALEC	RTG05470JTP	RD-AP1712515N		0 PC	
MB	2005-B		915996	30-S470AJ8SA2A-HF	R.SR 47 1/8W J 0805 SR YAGEO	YAGEO	SR0805JR-0747RL	RD-AP1904251W		0 PC	
MB	2005-C		8A03UG	30-SCH047012T000200T02-2	R.SR 47 1/4W J 0805 RAS TAI	TAI	RAS10JTN470	RD-AP2102304Q		0 PC	
MB	2006		912176	30-S0000J10SA17-HF	R.CF 0 1/10W J 0603 WR WALSIN	WALSIN	WR06X000 PTL	RD-AP2006069AM	R124,JP6,JP7	3 PC	
MB	2006-A		903655	30-S0000J10SA6-HF	R.CF 0 1/10W J 0603 RTT RALEC	RALEC	RTT03000JTP	RD-AP2111335BJ		0 PC	
MB	2006-B		900463	30-S0000J10SA2-HF	R.CF 0 1/10W J 0603 RC YAGEO	YAGEO	RC0603JR-070RL	RD-AP2011032AY		0 PC	
MB	2006-C		900733	30-S0000J10SA4-HF	R.CF 0 1/10W J 0603 RM TAI	TAI	RM06JTN0	RD-AP0809292E		0 PC	
MB	2007		917140	30-S100AF2SA17-HF	R.MF 10 1/2W F 1206 WF WALSIN	WALSIN	WF12P10R0FTL	RD-AP2006052Y	R102	1 PC	
MB	2007-A		917148	30-S100AF2SA6-HF	R.MF 10 1/2W F 1206 RTH RALEC	RALEC	RTH0610R0FTP	RD-AP2109250AQ		0 PC	
MB	2007-B		917139	30-S100AF2SA2-HF	R.MF 10 1/2W F 1206 RC YAGEO	YAGEO	RC1206FR-7W10RL	RD-AP2011032AY		0 PC	
MB	2008		913358	30-S750AJ4SA17-HF	R.CF 75 1/4W J 1206 WR WALSIN	WALSIN	WR12X750JTL	RD-AP2111013CD	R118,R118-1	2 PC	
MB	2008-A		912115	30-S750AJ4SA6-HF	R.CF 75 1/4W J 1206 RTT RALEC	RALEC	RTT06750JTP	RD-AP2111335BJ		0 PC	
MB	2008-B		909792	30-S750AJ4SA2-HF	R.CF 75 1/4W J 1206 RC YAGEO	YAGEO	RC1206JR-0775RL	RD-AP2011032AY		0 PC	
MB	2008-C		909793	30-S750AJ4SA4-HF	R.CF 75 1/4W J 1206 RM TAI	TAI	RM12JTNT50	RD-AP2111157V		0 PC	
MB	2010		707939	04-J21E01-HF	JUMPER 0.5D BT RUCH	WEN CHENG	04-J21E01-HF	RD-AP0809130E	JP1[7.5MM],JP2[6MM],J	0.000105 KG	
MB	2011		916278	30-S5101F10SA17-HF	R.MF 5.1K 1/10W F 0603 WR WALSIN	WALSIN	WR06X5101FTL	RD-AP2006069AM	R125,R212,R307	3 PC	
MB	2011-A		911538	30-S5101F10SA6-HF	R.MF 5.1K 1/10W F 0603 RTT RALEC	RALEC	RTT035101FTP	RD-AP2111335BJ		0 PC	
MB	2011-B		909731	30-S5101F10SA2-HF	R.MF 5.1K 1/10W F 0603 RC YAGEO	YAGEO	RC0603FP-075K1L	RD-AP2011032AY		0 PC	
MB	2011-C		906786	30-S5101F10SA4-HF	R.MF 5.1K 1/10W F 0603 RM TAI	TAI	RM06FTN5101	RD-AP2111157V		0 PC	
MB	2012		918792	30-S511AF10SA17-HF	R.MF 51.1 1/10W F 0603 WR WALSIN	WALSIN	WR06X51R1FTL	RD-AP2111013CD	R301,R316	2 PC	
MB	2012-A		901214	30-S511AF10SA6-HF	R.MF 51.1 1/10W F 0603 RTT RALEC	RALEC	RTT0351R1FTP	RD-AP2111335BJ		0 PC	
MB	2012-B		900457	30-S511AF10SA2-HF	R.MF 51.1 1/10W F 0603 RC YAGEO	YAGEO	RC0603FR-0751R1L	RD-AP2011032AY		0 PC	
MB	2012-C		905572	30-S511AF10SA4-HF	R.MF 51.1 1/10W F 0603 RM TAI	TAI	RM06FTN51R1	RD-AP0809293E		0 PC	
MB	2013		912921	30-S1502F10SA17-HF	R.MF 15K 1/10W F 0603 WR WALSIN	WALSIN	WR06X1502FTL	RD-AP2006069AM	R072	1 PC	
MB	2013-A		911582	30-S1502F10SA6-HF	R.MF 15K 1/10W F 0603 RTT RALEC	RALEC	RTT031502FTP	RD-AP2111335BJ		0 PC	

Part List
MASS PRODUCTION

Lite-On Technology Corporation.

Date: 06/06/2022

Power SBG

Model: PA-1650-41LS

Update: 05/30/2022

Version: 06

Board	Qty	Owner	Part Number	Description	Supplier	Reference Part Number	Location	Notes
MB 2013-B	900987	30-S1502F10SA2-HF	R.MF 15K 1/10W F 0603 RC YAGEO	YAGEO	RC0603FR-0715KL	RD-AP2011032AY	0 PC	
MB 2013-C	905095	30-S1502F10SA4-HF	R.MF 15K 1/10W F 0603 RM TAI	TAI	RM06FTN1502	RD-AP0809292E	0 PC	
MB 2015	911413	30-S0000J4SA17-HF	R.CF 0 1/4W J 1206 WR WALSIN	WALSIN	WR12X000 PTL	RD-AP2006069AM	R001,R053,JP3,JP4,JP5	5 PC
MB 2015-A	901202	30-S0000J4SA6A-HF	R.CF 0 1/4W J 1206 RTT RALEC	RALEC	RTT06000JTP	RD-AP2111335BJ	0 PC	
MB 2015-B	902548	30-S0000J4SA2-HF	R.CF 0 1/4W J 1206 RC YAGEO	YAGEO	RC1206JR-070RL	RD-AP2011032AY	0 PC	
MB 2015-C	901203	30-S0000J4SA4A-HF	R.CF 0 1/4W J 1206 RM TAI	TAI	RM12JTN0	RD-AP0809293E	0 PC	
MB 2017	8A031G	30-SCH205K12T000100285-2	R.MF 205K 1/4W F 1206 WR WALSIN	WALSIN	WR12X2053FTL	RD-AP1810534A	R071	1 PC
MB 2017-A	901463	30-S2053F4SA4-HF	R.MF 205K 1/4W F 1206 RM TAI	TAI	RM12FTN2053	RD-AP0809293E	0 PC	
MB 2017-B	919197	30-S2053F4SA2-HF	R.MF 205K 1/4W F 1206 RC YAGEO	YAGEO	RC1206FR-07205KL	RD-AP2009155CA	0 PC	
MB 2018	814146	30-S15BFB5AD-HF	R.MF 0.15 2W F 2512 WW25P WALSIN	WALSIN	WW25PR150FTL	RD-AP2006396AL	R056	1 PC
MB 2018-A	795026	30-S15BFB5AA-HF	R.MF 0.15 2W F 2512 PT YAGEO	YAGEO	PT2512FK-7W0R15L	RD-AP2107007AH	0 PC	
MB 2018-B	810787	30-S15BFB5AC-HF	R.MF 0.15 2W F 2512RLT3264CYNTEC	CYNTEC	RLT3264-9-R150-FNH	RD-AP1702058F	0 PC	
MB 2018-C	8A051F	30-SCH150A25T000100T02-2	R.MF 0.15 2W F 2512 RLP TAI	TAI	RLP25FEER150	RD-AP2109241K	0 PC	
MB 2019	918570	30-S226AF2SA17-HF	R.MF 22.6 1/2W F 1206 WR WALSIN	WALSIN	WF12P22R6FTL	RD-AP2106051AV	R200	1 PC
MB 2019-A	918565	30-S226AF2SA4-HF	R.MF 22.6 1/2W F 1206 RM TAI	TAI	RMH12FT22R6	RD-AP2108036AL	0 PC	
MB 2019-B	918565	30-S226AF2SA2-HF	R.MF 22.6 1/2W F 1206 RC YAGEO	YAGEO	RC1206FR-7W22R6L	RD-AP2009155CA	0 PC	
MB 2022	790956	30-SJ104F10SA-HF	R.TH TTC 100K F 0603 NCP18WF12RB	MURATA	NCP18WF104F12RB	RD-AP16014461H	RT300	1 PC
MB 2024	794130	30-S50DFASAP-HF	R.MF 0.005 1W F 1206 RLM TAI	TAI	RLM12FTCMR005	RD-AP2103557V	R211	1 PC
MB 2024-A	826748	30-S50DFASAW-HF	R.MF 0.005 1W F 1206 PA YAGEO	YAGEO	PA1206FRF470R005L	RD-AP2109225AA	0 PC	
MB 2024-B	794247	30-S50DF2SAB-HF	R.MF 0.005 1/2W F 1206 LR RALEC	RALEC	LR1206-2CR005F4	RD-AP2102052U	0 PC	
MB 2024-C	769867	30-S50DF2SAA-HF	R.MF 0.005 1/2W F 1206 RLM TAI	TAI	RLM12FTSMR005	RD-AP1512356E	0 PC	
MB 2026	912920	30-S4022F10SA17-HF	R.MF 40.2K 1/10W F 0603 WRWALSIN	WALSIN	WR06X4022FTL	RD-AP2006069AM	R315	1 PC
MB 2026-A	911779	30-S4022F10SA6-HF	R.MF 40.2K 1/10W F 0603 RTT RALEC	RALEC	RTT034022FTP	RD-AP2111335BJ	0 PC	
MB 2026-B	902314	30-S4022F10SA2-HF	R.MF 40.2K 1/10W F 0603 RC YAGEO	YAGEO	RC0603FR-0740K2L	RD-AP2011032AY	0 PC	
MB 2026-C	902646	30-S4022F10SA4-HF	R.MF 40.2K 1/10W F 0603 RM TAI	TAI	RM06FTN4022	RD-AP0809293E	0 PC	
MB 2027	913294	30-S1501F10SA17-HF	R.MF 1.5K 1/10W F 0603 WR WALSIN	WALSIN	WR06X1501FTL	RD-AP2006069AM	R300	1 PC
MB 2027-A	900497	30-S1501F10SA2-HF	R.MF 1.5K 1/10W F 0603 RC YAGEO	YAGEO	RC0603FR-071K5L	RD-AP2011032AY	0 PC	
MB 2027-B	911778	30-S1501F10SA6-HF	R.MF 1.5K 1/10W F 0603 RTT RALEC	RALEC	RTT031501FTP	RD-AP2111335BJ	0 PC	
MB 2027-C	903370	30-S1501F10SA4-HF	R.MF 1.5K 1/10W F 0603 RM TAI	TAI	RM06FTN1501	RD-AP0809293E	0 PC	
MB 2028	911449	30-S1002F10SA17-HF	R.MF 10K 1/10W F 0603 WRWALSIN	WALSIN	WR06X1002FTL	RD-AP2006069AM	R303,R304	2 PC
MB 2028-A	903682	30-S1002F10SA6-HF	R.MF 10K 1/10W F 0603 RTT RALEC	RALEC	RTT031002FTP	RD-AP2111335BJ	0 PC	
MB 2028-B	900422	30-S1002F10SA2-HF	R.MF 10K 1/10W F 0603 RC YAGEO	YAGEO	RC0603FR-0710KL	RD-AP2011032AY	0 PC	
MB 2028-C	900812	30-S1002F10SA4-HF	R.MF 10K 1/10W F 0603 RM TAI	TAI	RM06FTN1002	RD-AP0809293E	0 PC	
MB 2031	911838	30-S220AF10SA17-HF	R.MF 22 1/10W F 0603 WR WALSIN	WALSIN	WR06W22R0FTL	RD-AP2006069AM	R213	1 PC
MB 2031-A	911836	30-S220AF10SA6-HF	R.MF 22 1/10W F 0603 RTT RALEC	RALEC	RTT0322R0FTP	RD-AP2111335BJ	0 PC	
MB 2031-B	913317	30-S220AF10SA2-HF	R.MF 22 1/10W F 0603 RC YAGEO	YAGEO	RC0603FR-0722RL	RD-AP2011032AY	0 PC	
MB 2031-C	911837	30-S220AF10SA4-HF	R.MF 22 1/10W F 0603 RM TAI	TAI	RM06FTN22R0	RD-AP2111157V	0 PC	
MB 2032	918638	30-SV276J4E07-HF	R.HV 27M 1/4W J RV 500V1206YAGEO	YAGEO	RV1206JR-0727ML	RD-AP2111225BG	R011,R012,R013,R014	4 PC
MB 2032-A	918639	30-SV276J4E016-HF	R.HV 27M 1/4W J RTV500V1206RALEC	RALEC	RTV06276JTP	RD-AP2101052AC	0 PC	
MB 2032-B	827071	30-SV276J4E09-HF	R.HV 27M 1/4W J RH 500V 1206 TAI	TAI	RH12JTN276	RD-AP2108614AS	0 PC	
MB 2034	912529	30-S0000J8SA17-HF	R.CF 0 1/8W J 0805 WR WALSIN	WALSIN	WR08X000 PTL	RD-AP2006069AM	R054,R313	2 PC
MB 2034-A	900537	30-S0000J8SA2-HF	R.CF 0 1/8W J 0805 RC YAGEO	YAGEO	RC0805JR-070RL	RD-AP2011032AY	0 PC	
MB 2034-B	903675	30-S0000J8SA6-HF	R.CF 0 1/8W J 0805 RTT RALEC	RALEC	RTT05000JTP	RD-AP2111335BJ	0 PC	
MB 2034-C	902420	30-S0000J8SA4-HF	R.CF 0 1/8W J 0805 RM TAI	TAI	RM10JTN0	RD-AP0809292E	0 PC	

Part List
MASS PRODUCTION

Lite-On Technology Corporation.

Date: 06/06/2022

Power SBG

Model: PA-1650-41LS

Update: 05/30/2022

Version: 06

Board	Qty	Owner	Part Number	Description	Supplier	Part Number	Description	Supplier	Part Number	Description	Supplier
MB	2035	769836	30-SV155F4E07-HF	R.HV 1.5M 1/4W F RV500V1206YAGEO	YAGEO	RV1206FR-071M5L		RD-AP2111225BG	R005,R006	2 PC	
MB	2035-A	794825	30-SV155F4E016-HF	R.HV 1.5M 1/4WF RTV500V1206RALEC	RALEC	RTV061504FTP		RD-AP1708324Q	0 PC		
MB	2035-B	789095	30-SV155F4E09-HF	R.HV 1.5M 1/4W F RH 500V1206 TAI	TA-I	RH12FTN1504		RD-AP1612191A	0 PC		
MB	2036	916020	30-S5100J4SA6A-HF	R.SR 510 1/4W J 0805 RTG RALEC	RALEC	RTG05511JTP		RD-AP1712515N	R203	1 PC	
MB	2036-A	8A03V3	30-SCH510010T000100Y00-2	R.SR 510 1/4W J 0805 SR YAGEO	YAGEO	SR0805JR-7W510RL		RD-AP1810591A	0 PC		
MB	2036-B	8A03V2	30-SCH510010T000100T02-2	R.SR 510 1/4W J 0805 RAS TAI	TA-I	RAS10JTN511		RD-AP1810554A	0 PC		
MB	2037	912472	30-S2001F8SA17-HF	R.MF 2K 1/8W F 0805 WR WALSIN	WALSIN	WR08X2001FTL		RD-AP2006069AM	R317	1 PC	
MB	2037-A	912065	30-S2001F8SA6-HF	R.MF 2K 1/8W F 0805 RTT RALEC	RALEC	RTT052001FTP		RD-AP2111335BJ	0 PC		
MB	2037-B	910880	30-S2001F8SA2-HF	R.MF 2K 1/8W F 0805 RC YAGEO	YAGEO	RC0805FR-072KL		RD-AP2011032AY	0 PC		
MB	2037-C	902400	30-S2001F8SA4-HF	R.MF 2K 1/8W F 0805 RM TAI	TA-I	RM10FTN2001		RD-AP0809293E	0 PC		
MB	2039	912892	30-S1543F10SA17-HF	R.MF 154K 1/10W F 0603 WR WALSIN	WALSIN	WR06X1543FTL		RD-AP2006069AM	R318	1 PC	
MB	2039-A	914512	30-S1543F10SA6-HF	R.MF 154K 1/10W F 0603 RTT RALEC	RALEC	RTT031543FTP		RD-AP2111335BJ	0 PC		
MB	2039-B	900461	30-S1543F10SA2-HF	R.MF 154K 1/10W F 0603 RC YAGEO	YAGEO	RC0603FR-07154KL		RD-AP2011032AY	0 PC		
MB	2039-C	905258	30-S1543F10SA4-HF	R.MF 154K 1/10W F 0603 RM TAI	TA-I	RM06FTN1543		RD-AP0809293E	0 PC		
MB	2040	918776	30-S1602F10SA17-HF	R.MF 16K 1/10W F 0603 WR WALSIN	WALSIN	WR06X1602FTL		RD-AP2111013CD	R319	1 PC	
MB	2040-A	911570	30-S1602F10SA6-HF	R.MF 16K 1/10W F 0603 RTT RALEC	RALEC	RTT031602FTP		RD-AP2111335BJ	0 PC		
MB	2040-B	911569	30-S1602F10SA2-HF	R.MF 16K 1/10W F 0603 RC YAGEO	YAGEO	RC0603FR-0716KL		RD-AP2011032AY	0 PC		
MB	2040-C	911568	30-S1602F10SA4-HF	R.MF 16K 1/10W F 0603 RM TAI	TA-I	RM06FTN1602		RD-AP2111157V	0 PC		
MB	3001	*	828170	31-FE474KB587C-ROHS	C.MEX 0.47UF 275V K 12.5T CMPP.T5	SUNGHO	CMPPAC275V474K12.5T5	RD-AP2102324AH	C001	1 PC	
MB	3001-A	*	828179	31-FE474KB551Q-ROHS	C.MEX 0.47UF 275V K 12.5T MKP	HUA JUNG	MKP-474K0275AT1128-P	RD-AP1907080N	0 PC		
MB	3001-B	*	8A03WD	31-DXC478B9T0000200E19-1	C.MEX 0.47UF280VK12.5TX2-MPX/MKP	EMF	X200.474K2812LT0000Y1000B053	RD-AP1809212A	0 PC		
MB	3001-C	*	784584	31-FE474KB5519-ROHS	C.MEX 0.47UF 275V K 12.5 MKP	HUA JUNG	MKP-474K0275AB1121-P	RD-AP1611252M	0 PC		
MB	3001-D	*	814389	31-FE474KB5873-ROHS	C.MEX 0.47UF 275V K 12.5 CMPP	SUNGHO	CMPPAC275V474K12.5S5	RD-AP2102324AH	0 PC		
MB	3002	*	8A05YV	31-DYC10CB5T0000100M22-2	C.DIS 100PF 250V K B 10T RA-NH	MURATA	DE1B3RA101KHAN01F	RD-AP1901138A	C003	1 PC	
MB	3002-A	*	817823	31-F1101KB5715-HF	C.DIS 100PF 250V K B 10TL AH-AS	WALSIN	YPOAH101K060DASD0H	RD-AP1908404AC	0 PC		
MB	3003	*	798526	31-F7101MD2522-HF	C.ELE 100UF 420V M16*30CST(MIL)HF	NCC	ECST421ELL101ML301	RD-AP1910357R	C051	1 PC	
MB	3003-A	*	812399	31-F7101MD2601-HF	C.ELE 100UF 420V M 16'30 DW(3K)	ELITE	DW2S101MNN1630F3	RD-AP2012479B	0 PC		
MB	3003-B	*	8A00B0	31-DEA101D2B0000200H38-1	C.ELE 100UF 420V M 16'30 RH(H)	HUNAN AIHUA	ERH2TM101L300TERH	RD-AP2012526B	0 PC		
MB	3003-C	*	797497	31-F7121MD2589-HF	C.ELE 120UF 420V M 18'30KXXW(LTS)	RUBYCON	420 KXW 120 M LTS 18X30	RD-AP1810078N	0 PC		
MB	3003-D	*	798563	31-F7121MD2527-HF	C.ELE 120UF 420V M18'30CST(MMHF	NCC	ECST421ELL121MM301	RD-AP1910357R	0 PC		
MB	3003-E	812163	31-F7121MD260-HF	C.ELE 120UF 420V M 18'30 DW	ELITE	DW2S121MNN1830E3JR	RD-AP1811245A	0 PC			
MB	3003-F	818146	31-F7101MD2602-HF	C.ELE 100UF 420V M 16'30 MK	ELITE	MK2S101MNN1630A4E	RD-AP1903034B	0 PC			
MB	3003-G	821578	31-F7121MD2602-HF	C.ELE 120UF 420V M 18'31.5 DV	ELITE	DV2S121MNN18N3A4EJ	RD-AP1610308B	0 PC			
MB	3004	908218	31-S2222JF325-HF	C.MON 2200PF 630V J NPO12061206B	WALSIN	1206N222J631LT	RD-AP211104AQ	C053	1 PC		
MB	3004-A	908230	31-S2222JF3219-HF	C.MON 2200PF 630V J NPO1206C1206	HOLY STONE	C1206N222J631T	RD-AP2109112AL	0 PC			
MB	3004-B	917874	31-S2222JF328A-HF	C.MON 2200PF 630V JNPO1206GRM31B	MURATA	GRM31B5C2J222JWA1L	RD-AP1904189K	0 PC			
MB	3007	912273	31-S2102JB015-HF	C.MON 1000PF 200V J NPO08050805N	WALSIN	0805N102J201LT	RD-AP211104AQ	C200	1 PC		
MB	3007-A	913063	31-S2102JB014-HF	C.MON 1000PF 200V JNPO0805CC0805	YAGEO	CC0805JRNP0AABN102	RD-AP2104107AT	0 PC			
MB	3007-B	913323	31-S2102JB0119-HF	C.MON 1000PF 200V JNPO0805C0805N	HOLY STONE	C0805N102J201T	RD-AP2109112AL	0 PC			
MB	3008	908138	31-S2101JF325-HF	C.MON 100PF 630V J NPO 12061206B	WALSIN	1206N101J631LT	RD-AP211104AQ	C055	1 PC		
MB	3008-A	909832	31-S2101JF324-HF	C.MON 100PF 630V J NPO1206CC1206	YAGEO	CC1206JRNP0ZBN101	RD-AP2104107AT	0 PC			
MB	3008-B	902184	31-S2101JF328-HF	C.MON 100PF 630V J NPO1206GRM31A	MURATA	GRM31A5C2J101JW01D	RD-AP1501152Y	0 PC			
MB	3008-C	904273	31-S2101JF3219-HF	C.MON 100PF 630V J NPO1206C1206N	HOLY STONE	C1206N101J631T	RD-AP2109112AL	0 PC			
MB	3010	904639	31-S2101K5065-HF	C.MON 100PF 50V K X7R 0603 0603B	WALSIN	0603B101K500CT	RD-AP211104AQ	C120,C124	2 PC		
MB	3010-A	904360	31-S2101K5064-HF	C.MON 100PF 50V K X7R 0603CC0603	YAGEO	CC0603KRX7R9BB101	RD-AP2104107AT	0 PC			

Lite-On Technology Corporation.

Power SBG

Model: PA-1650-41LS

Update: 05/30/2022

Version: 06

Part List

Date: 06/06/2022

Board	Qty	Owner									
MB	3011	918744	31-S2225KA0217-HF	C.MON 2.2UF 100V K X7S 1206 MJ	TAIYO YUDEN	HMJ316BC7225KLHTE	RD-AP2008184K	C054-2	1 PC		
MB	3011-A	918743	31-S2225KA0219-HF	C.MON 2.2UF 100V K X7R 1206 TX	HOLY STONE	C1206X225K101TX	RD-AP2109112AL	0 PC			
MB	3012	814316	31-F7681M25601-HF	C.ELE 680UF 25V M 10*16 EV(U) 5T	ELITE	EV1E681MP51016F6RU	RD-AP2004148D	C204	1 PC		
MB	3012-A	759861	31-F7681M25677-HF	C.ELE 680UF 25V M 10*16 HH 5T	TAICON	THH1E681MK10160PC3	RD-AP2112135AK	0 PC			
MB	3012-B	8A009V	31-DEA68125T0000100H38-1	C.ELE 680UF 25V M 10*16 RF(G) 5T	HUNAN AIHUA	ERF1EM681G16B50TG	RD-AP1807432A	0 PC			
MB	3012-C	797682	31-F7681M25589-HF	C.ELE 680UF 25V M 10*16 ZLS 5T	RUBYCON	25 ZLS 680 M EFC T8 10*16	RD-AP1503091A	0 PC			
MB	3012-D	785010	31-F7681M25528-ROHS	C.ELE 680UF 25V M 10*16 KZH 5T	NCC	EKZH250ETD681MJ16S	RD-AP1909243Z	0 PC			
MB	3013	900776	31-S2102K5065-HF	C.MON 1000PF 50V K X7R0603 0603B	WALSIN	0603B102K500CT	RD-AP2111104AQ	C100,C121	2 PC		
MB	3013-A	900656	31-S2102K5064-HF	C.MON 1000PF 50V K X7R0603CC0603	YAGEO	CC0603KRX7R9BB102	RD-AP2104107AT	0 PC			
MB	3014	910194	31-S2332K5015-HF	C.MON 3300PF 50V K X7R 08050805B	WALSIN	0805B332K500CT	RD-AP2111104AQ	C302	1 PC		
MB	3014-A	910193	31-S2332K5014-HF	C.MON 3300PF 50V K X7R0805CC0805	YAGEO	CC0805KRX7R9BB332	RD-AP2104107AT	0 PC			
MB	3015	914449	31-S2225K50117-HF	C.MON 2.2UF 50V K X7R 0805 TAIYO	TAIYO YUDEN	UMK212 BB7225KG-T	RD-AP2111456S	C202,C209	2 PC		
MB	3015-A	917473	31-S2225K50119-HF	C.MON 2.2UF 50V K X7R 0805 C0805	HOLY STONE	C0805X225K050T	RD-AP2109112AL	0 PC			
MB	3015-B	915787	31-S2225K25117-HF	C.MON 2.2UF 25V K X7R 0805 TAIYO	TAIYO YUDEN	TMK212 B7225KG-TR	RD-AP2111456S	0 PC			
MB	3015-C	909907	31-S2225K2515-HF	C.MON 2.2UF 25V K X7R 0805 0805B	WALSIN	0805B225K250CT	RD-AP2111104AQ	0 PC			
MB	3015-D	906745	31-S2225K25120-HF	C.MON 2.2UF 25V K X7R 0805 CLF	SAMSUNG	CL21B225KAFNFNE	RD-AP1304312L	0 PC			
MB	3016	916103	31-S2472JF328-HF	C.MON 4700PF 630V JU2J1206GRM31C	MURATA	GRM31C7U2J472JW32L	RD-AP1501152Y	C051-1	1 PC		
MB	3016-A	916128	31-S2472JF3219-HF	C.MON 4700PF 630V J NPO1206C1206	HOLY STONE	C1206N472J631T	RD-AP2109112AL	0 PC			
MB	3016-B	8A0450	31-SM147BF3T0000100285-2	C.MON 4700PF 630V J NPO12061206N	WALSIN	1206N472J631CT	RD-AP1809105A	0 PC			
MB	3017	911959	31-S2391J5065-HF	C.MON 390PF 50V J NPO 0603 0603N	WALSIN	0603N391J500LT	RD-AP2111104AQ	C305,C308	2 PC		
MB	3017-A	911958	31-S2391J5064-HF	C.MON 390PF 50V J NPO 0603CC0603	YAGEO	CC0603JRNP09BN391	RD-AP1807342J	0 PC			
MB	3018	911401	31-S2470JAK25-HF	C.MON 47PF 1KV J NPO 1206 1206N	WALSIN	1206N470J102CT	RD-AP2111104AQ	C050	1 PC		
MB	3018-A	919007	31-S2470JAK219-HF	C.MON 47PF 1KV J NPO 1206 C1206N	HOLY STONE	C1206N470J102T	RD-AP2109112AL	0 PC			
MB	3018-B	915557	31-S2470JAK28-HF	C.MON 47PF 1KV J NPO 1206GRM31A	MURATA	GRM31A5C3A470JW01D	RD-AP1501152Y	0 PC			
MB	3018-C	8A0347	31-SM147DAKT0000100Y00-2	C.MON 47PF 1KV J NPO 1206 CC1206	YAGEO	CC1206JKNP0CBN470	RD-AP1807342J	0 PC			
MB	3019	903824	31-S2104K5025-HF	C.MON 0.1UF 50V K X7R 1206 1206B	WALSIN	1206B104K500CT	RD-AP2111104AQ	C206	1 PC		
MB	3019-A	903825	31-S2104K5024-HF	C.MON 0.1UF 50V K X7R 1206CC1206	YAGEO	CC1206KRX7R9BB104	RD-AP2104107AT	0 PC			
MB	3020	915354	31-S2475K50217-HF	C.MON 4.7UF 50V K X7R 1206 TAIYO	TAIYO YUDEN	UMK316AB7475KL-T	RD-AP2111456S	C054,C201,C312,C312-2	4 PC		
MB	3020-B	910994	31-S2475K5028-HF	C.MON 4.7UF 50V K X7R 1206 GRM31	MURATA	GRM31CR71H475KA12L	RD-AP1501152Y	0 PC			
MB	3020-C	8A00FE	31-SM14795010000200S04-2	C.MON 4.7UF 50V K X7R 1206 CL31	SAMSUNG	CL31B475KBHNFNE	RD-AP2104511Q	0 PC			
MB	3020-D	915855	31-S2475K25217-HF	C.MON 4.7UF 25V K X7R 1206 TAIYO	TAIYO YUDEN	TMK316AB7475KL-T	RD-AP2111456S	0 PC			
MB	3020-E	910849	31-S2475K2525-HF	C.MON 4.7UF 25V K X7R 1206 1206B	WALSIN	1206B475K250CT	RD-AP1801026H	0 PC			
MB	3020-F	911112	31-S2475K25220-HF	C.MON 4.7UF 25V K X7R 1206 CL31	SAMSUNG	CL31B475KAHNFNE	RD-AP1304312L	0 PC			
MB	3021	8A008A	31-SM101025T0000200S04-2	C.MON 1UF 25V K X7R 0603 CL10	SAMSUNG	CL10B105KA8NFNC	RD-AP2104511Q	C212,C312-1	2 PC		
MB	3021-A	915790	31-S2105K25617-HF	C.MON 1UF 25V K X7R 0603 TAIYO	TAIYO YUDEN	TMK107 B7105KA-T	RD-AP2111456S	0 PC			
MB	3023	904881	31-S2101J5065-HF	C.MON 100PF 50V J NPO 0603 0603B	WALSIN	0603N101J500LT	RD-AP2111104AQ	C307	1 PC		
MB	3023-A	904880	31-S2101J5064-HF	C.MON 100PF 50V J NPO 0603CC0603	YAGEO	CC0603JRNP09BN101	RD-AP2104107AT	0 PC			
MB	3024	903828	31-S2224K5015-HF	C.MON 0.22UF 50V K X7R 08050805B	WALSIN	0805B224K500CT	RD-AP2111104AQ	C301	1 PC		
MB	3024-A	903829	31-S2224K5014-HF	C.MON 0.22UF 50V K X7R0805CC0805	YAGEO	CC0805KKX7R9BB224	RD-AP2104107AT	0 PC			
MB	3026	906763	31-S2106K10117A-HF	C.MON 10UF 10V K X7R 0805 TAIYO	TAIYO YUDEN	LMK212 B7106KG-TD	RD-AP2111456S	C303	1 PC		
MB	3026-A	910895	31-S2106K10120-HF	C.MON 10UF 10V K X7R 0805 CL21	SAMSUNG	CL21B106KPQNFFNE	RD-AP1304312L	0 PC			
MB	3027	830321	31-F7471M25607-HF	C.ELE 470UF 25V M 8*16 ED 5T	ELITE	ED1E471MPS0816	RD-AP1805204A	C205	1 PC		
MB	3027-A	830263	31-F7471M2567Q-HF	C.ELE 470UF 25V M 8*15 5H 5T	TAICON	THD1E471MO08150TC3	RD-AP1809406A	0 PC			
MB	3027-B	787770	31-F7471M2558E-HF	C.ELE 470UF 25V M 8*16 ZL 5T	RUBYCON	25 ZL 470 M EFC 8X16	RD-AP1707158Y	0 PC			

Part List
MASS PRODUCTION

Lite-On Technology Corporation.

Date: 06/06/2022

Power SBG

Model: PA-1650-41LS

Update: 05/30/2022

Version: 06

Board	Qty	Owner	Part Number	Description	Supplier	Part Number	Description	Supplier	Part Number	Description	Supplier
MB 3027-C	798095	31-F7471M2558H-HF	C.ELE 470UF 25V M 8*16 ZLJ 5T	RUBYCON	25 ZLJ 470 M TZ 8X16	RD-AP1707276K		0 PC			
MB 3027-D	811900	31-F7471M2552L-HF	C.ELE 470UF 25V M 8*15 KZN-H 5T	NCC	EKZN250ETC471MH15Z	RD-AP2004234G		0 PC			
MB 3028 *	8A060C	31-DYC15CB5T0000100M22-2	C.DIS 150PF 250V K B 10T RA-NH	MURATA	DE1B3RA151KNHAN01F	RD-AP1812343A	C002	1 PC			
MB 3028-A *	826894	31-F1151KB5713-HF	C.DIS 150PF 250V K B 10T AH-AS	WALSIN	YPAUH151K060DASD0H	RD-AP1908404AC		0 PC			
MB 3030	911916	31-S2105KA025-HF	C.MON 1UF 100V K X7R 1206 1206B	WALSIN	1206B105K101CT	RD-AP211104AQ	C054-1	1 PC			
MB 3030-A	918564	31-S2105KA024-HF	C.MON 1UF 100V K X7R 1206CC1206	YAGEO	CC1206KXX7R0BB105	RD-AP2104107AT		0 PC			
MB 3030-B	916033	31-S2105KA0217-HF	C.MON 1UF 100V K X7R 1206 TAIYO	TAIYO YUDEN	HMK316 B7105KL-T	RD-AP2111456S		0 PC			
MB 3031	900823	31-S2103K5065-HF	C.MON 0.01UF 50V K X7R 06030603B	WALSIN	0603B103K500CT	RD-AP211104AQ	C300	1 PC			
MB 3031-A	901732	31-S2103K5064A-HF	C.MON 0.01UF 50V K X7R0603CC0603	YAGEO	CC0603KRX7R9BB103	RD-AP2104107AT		0 PC			
MB 4001 *	8A06VY	42-D05G0L00000001K4L09-4-42-PA16504001	XFMR A1650-40LR LQ25/16.6 NH2CA	LI SHIN	T-PLNJ165AR	RD-AP2204291C	T050	1 PC			
MB 4001-A *	8A06WZ	42-D05G0100000002K4W18-4-42-PA16504001	XFMR A1650-40LR LQ25/16.6 NH2CA	WUJIANG VOLT	3-110LQ2509-0-V	RD-AP2204613B		0 PC			
MB 4002 *	8A08FF	37-D0SG0900000001K4Z04-4-37-PA16504001	CHOKE T14*9.5C 8.6MH MIN ZC	ZHONGRUI	C0900007	RD-AP2203267B	L002	1 PC			
MB 4002-A *	8A0HM8	37-D0SG0A00000001K4L09-1-37-PA16504001	CHOKE T14*9.5C 8.6MH MIN MC	LI SHIN	PA-1650-40LS			0 PC			
MB 4005 *	824748	37-C0452B2401403C-ROHS	CHOKE T8*4*4-CG K5B 40UH	LI SHIN	T-FLNG013AR	RD-AP211160B	L001	1 PC			
MB 4005-A *	821869	37-C14503301-ROHS	CHOKE T8*4*4-CG K5B 40UH	LITE-ON	37-C14503301-ROHS	RD-AP1603738A		0 PC			
MB 5001 *	8A0LQD	04-DCPA1650400004K4L19-1	DC CORD 1800 PA-1650-41LS	LUXSHARE	L22DC018-CS-R	RD-AP2112216B	DC CORD				
MB 5001-A *	8A0GPD	04-DCPA1650400003K4D08-1	DC CORD 1800 PA-1650-40LS	DEREN	5702F1-013R	RD-AP2104179A		0 PC			
MB 5001-B *	8A0GNW	04-DCPA1650400003K4203-1	DC CORD 1800 PA-1650-40LS	TPL	YSA2101200	RD-AP2105180A		0 PC			
MB 5001-C *	8A0GPC	04-DCPA1650400002K4201-1	DC CORD 1800 PA-1650-40LS	LINETEK	8A0GPC	RD-AP2107014A		0 PC			
MB 5001-D *	8A0LR2	04-DCPA1650400003K4201-1	DC CORD 1800 PA-1650-40LR	LINETEK	8A0LR2	RD-AP2112217A		0 PC			
MB 5001-E *	8A0CS1	04-DCPA1650400001K4203-1	DC CORD 1800 PA-1650-40LR	TPL	YSA2108082	RD-AP2112320A		0 PC			
MB 6001 *	8A0GSA	46-P00PA1650000VK4235-1	CASE-TOP 109.2*47.2*29.7 PC	CHIN YUAN	8A0GSA	RD-AP2106042A	CASE-TOP	1 PC			
MB 6001-A *	8A0HS8	46-P00PA16500001K4R11-1	CASE-TOP 109.2*47.2*29.7 PC	RUIDE	8A0HS8	RD-AP2204580B		0 PC			
MB 6003 *	8A0GN4	46-P00PA16500000TK4235-1	CASE-BTM 108.0*44.8*21.4 PC	CHIN YUAN	8A0GN4	RD-AP2203485B	CASE-BTM	1 PC			
MB 6003-A *	8A0HS9	46-P00PA165000012K4R11-1	CASE-BTM 108.0*44.8*21.4 PC	RUIDE	8A0HS9	RD-AP2204581B		0 PC			
MB 6004	8A03L0	52-P062018010000100547-1	HS STAMPING 62.8*18*1.0 AL	AVINTEC	8A03L0	RD-AP1811578A	HS1	1 PC			
MB 6006 *	8A03L1	52-S087040210000100547-2	SHIELD-TOP 87*40.6*21.3*0.3 AL	AVINTEC	8A03L1	RD-AP1907097B	S-TOP	1 PC			
MB 6007 *	8A03H8	52-S087040210000100547-1	SHIELD-BTM 87*40*21.8*0.3 AL	AVINTEC	8A03H8	RD-AP1905343B	S-BTM	1 PC			
MB 6008 *	8A03ME	28-M095039L001K4K20-2	ISL-PLT 95*39.3*23.0*0.43 MYLAR	KUSH	BBC-000715B	RD-AP1907096B	FRPP	1 PC			
MB 6008-A *	8A03LY	28-M095039L001K4283-2	ISL-PLT 95*39.3*23.0*0.43 MYLAR	AVINTEC	8A03LY	RD-AP1907095B		0 PC			
MB 6010 *	819067	44-M190032SR1-ROHS	PCB SUPPORT 3.0*2.3 NY46	HI-TECH	LD1077	RD-AP2008252C	RUBBER1,RUBBER2	2 PC			
MB 6015	750081	50-S183007021-HF	SCREW+M CH 3*0.5*7 NI+NL	DURABLE	750081	RD-AP1705269I	Q050				
MB 6016	701101	50-N1243021-HF	NUT 3*0.5*2.4 NI	KUAO LENG	701101	RD-AP2006293G	Q050	1 PC			
MB 7001 *	750040	38-T32A0222-HF	FUSE SB 250V 3.15A 8.35*4.3*7MST	CONQUER	MST 3.15A 250V	RD-AP1610310I	F001	1 PC			
MB 7001-A *	753944	38-T32A1623-HF	FUSE SB 250V 3.15A 8.5*8.5 2010T	WALTER	2010T 3.15A250V	RD-AP1210445D		0 PC			
MB 7001-B *	790268	38-T32A0821-HF	FUSE SB 250V 3.15A 8.5*4*8 392	LITTELFUSE	39213150000	RD-AP2011269B		0 PC			
MB 7002	8A08MD	01-RPA165040A0002K4H00-2	PCB A1650-41LR 97*38*1.0 2/0 A	HAIHONG	SP12619D0	RD-AP2102197B	MAIN PCB	1 PC			
MB 7002-A *	8A08MC	01-RPA165040A0002K4W03-2	PCB A1650-41LR 97*38*1.0 2/0 A	WANYUANTONG	AJ-587-00	RD-AP2102203B		0 PC			
MB 7002-B *	8A08MB	01-RPA165040A0002K4350-2	PCB A1650-41LR 97*38*1.0 2/0 A	WANNIENFU	SE18961G00HF	RD-AP2102201B		0 PC			
MB 7003 *	826616	43-M165047PG1-ROHS	INLET 250V SO222DAC1S041098LTZ	TECX	SO-222-DAC1-S64+1098L-T-Z(d)	RD-AP2012239C	INLET	1 PC			
MB 7003-A *	828019	43-M165047PG2-ROHS	INLET 250V SK02-7601512223B-2228	HCR	SK02-7601512223B-2228	RD-AP2012015C		0 PC			
MB 8001	729811	92-MUC6-HF	OUT-CTN 543*365*135	AMB	729811	RD-AP1706304U	OUT-CTN	0.01924 PC			
MB 8001-A	8A0413	92-N054303650000100547-2	OUT-CTN 543*365*135	TOEFL	8A0413	RD-AP1808167A		0 PC			
MB 8002	732716	91-M165002PL1-HF	PA PLT LAY 543*365*135*7	AMB	732716	RD-AP1304307F	PARTITION	0.01924 PC			
MB 8002-A	8A04C2	91-PPLPA14500000200547-2	PA PLT LAY 543*365*135*7	TOEFL	8A04C2	RD-AP1807407A		0 PC			

Lite-On Technology Corporation.

Power SBG

Model: PA-1650-41LS

Update: 05/30/2022

Version: 06

Date: 06/06/2022

Part List
MASS PRODUCTION

Board	Qty	Owner	Part Description	Supplier	Part Number	Ref ID	Category	Unit	
MB 8003	8A0Q64	90-P042011000000300547-1	PE BAG 420*110*0.08	LUCHEH	8A0Q64	RD-AP2205248B	PE BAG	1 PC	
MB 8004	729792	55-MPA1-HF	PALLET 1170*1140*119	MINPAO	729792	RD-AP2205326I	PALLET	0.00054 PC	
MB 8004-A	8A0P77	55-PWD11700000001K4T06-2	PALLET 1170*1140*119	TOEFL				0 PC	
MB 8005	*	6A00RL	93-MPA1650ID0000MK4604-1	LBL-ID 106.2*44.2 HPA-1650-41LS	XIANG	6A00RL	RD-AP2103163A	CASE-BTM	1 PC
MB 8005-A	*	6A00SJ	93-MPA1650ID0000HK4C02-1	LBL-ID 106.2*44.2 HPA-1650-41LS	CAR.TONG	6A00SJ	RD-AP2112015A		0 PC
MB 9001	*	796357	07-O166603Y3-HF	POLY TAPE 16MM*66M (2L) #1388Y-1	3M	#1388Y-1	RD-AP1303181A	HS1	0.04 M

Remark: F(*): saFety part, R(*): cRitical part

Note: This Part List is prepared by Design department for cost estimation.

All of indirect material as solder, flux, glue, thinner, cleaner etc. are not listed on this part list.