

Part List
MASS PRODUCTION

Date: 05/05/2022

Lite-On Technology Corporation.

Power SBG

Model: PA-1131-29D1

Update: 05/05/2022

Version: 09

Board Qty Owner

MB 1 samyshuang

Board	Item	F	R	Part No	Old Part No	Description	Maker	Maker PN	FileNo	Location	Qty	Unit
MB	1001			818058	33-SMSB30KH13-ROHS	BRG 800V 3A MSB30KH MSBL	LITE-ON SEMI	MSB30KH	RD-AP1605129A	D050,D050-1	2	PC
MB	1001-A			825443	33-SMSB30M13-HF	BRG 1000V 3A MSB30M	LITE-ON SEMI	MSB30M	RD-AP1606396A		0	PC
MB	1001-B			827329	33-SGSB30M-E147-HF	BRG 1000V 3A GSB30M-E	GULF	GSB30M-E	RD-AP1812200B		0	PC
MB	1002			820059	33-SS8MC13-HF	DIO 1000V 8A S8MC SMC	LITE-ON SEMI	S8MC	RD-AP1606146A	D005	1	PC
MB	1002-A			819024	33-SS8MC47-ROHS	DIO 1000V 8A S8MC SMC	DII	S8MC-13	RD-AP1507400A		0	PC
MB	1002-B			8A020X	33-SRDS8M0000000100P02-2	DIO 1000V 8A S8M SMC	PANJIT	S8M	RD-AP1806248A		0	PC
MB	1004			8A00NQ	34-SMSNIPD60R000800106-2	MFET N 600V 12A0.28 IPD60R280P7S	INFINEON	IPD60R280P7S	RD-AP2109461B	Q001	1	PC
MB	1004-A			829961	34-SFCD260N65S326-HF	MFET N 650V 12A 0.26 FCD260N65S3	FAIRCHILD	FCD260N65S3	RD-AP1711373A		0	PC
MB	1005			8A00WS	34-SMSNIPN60R000200106-2	MFET N 600V 6A0.6 IPN60R600P7S	INFINEON	IPN60R600P7S	RD-AP1806019A	Q050,Q051	2	PC
MB	1005-A			8A01C7	34-SMSNFCDB000000100127-1	MFET N 600V 7.4A 0.6 FCD600N60Z	ON	FCD600N60Z	RD-AP1801217A		0	PC
MB	1005-B			817348	34-SSTD10N60M219-ROHS	MFET N 600V 7.5A 0.6 STD10N60M2	STM	STD10N60M2	RD-AP1701045B		0	PC
MB	1006			8A00E2	33-DSKG3060C0000300L23-2	DIO 60V 30A G3060CTW TO220AB	LITE-ON SEMI	G3060CTW	RD-AP1802003A	D200,D201	2	PC
MB	1006-A			8A00GK	33-DRDFERD300000200S86-2	DIO 60V 30A FERD30H60CTS TO220AB	STM	FERD30H60CTS	RD-AP1904276B		0	PC
MB	1007	*		824884	32-STE1A19162T18-HF	IC PFC 8P TEA19162T SOIC	NXP	TEA19162T	RD-AP1712177A	IC100	1	PC
MB	1008	*		824885	32-STE1A19161T18-HF	IC PWM 16P TEA19161T SOIC	NXP	TEA19161T	RD-AP1712330A	IC101	1	PC
MB	1009	*		799767	32-SLA431OCAPA13-HF	IC REF 3P 2.495V 0.4% LA431OCAPA	LITE-ON SEMI	LA431OCAPA	RD-AP1905283B	IC301	1	PC
MB	1009-A	*		824428	32-SAZ431AN-ATRG1-6747-HF	IC REF 3P 2.495VAZ431AN-ATRG1-67	DII	AZ431AN-ATRG1-67	RD-AP1806001C		0	PC
MB	1010	*		786977	32-SBQ2022ADBZR30-HF	IC ID 3P BQ2022ADBZR SOT23	TI	BQ2022ADBZR	RD-AP1802078B	IC303	1	PC
MB	1010-A	*		8A05CN	32-SROM0033HS0000100128-2	IC ID 3P OB1022MDP SOT23	ON BRIGHT	OB1022MDP	RD-AP1812313A		0	PC
MB	1011	*	*	798049	LTV-1007-TP1-G-HF	IC PHO 4PLTV-1007-TP1-G80-160SOP	LITE-ON	LTV-1007-TP1-G	RD-AP1603427C	PC301,PC303	2	PC
MB	1011-A	*	*	812647	32-SEL1017TA-VG105-HF	IC PHO 4P EL1017TA-VG 80-160 SMD	EVERLIGHT	EL1017(TA)-VG	RD-AP1710011B		0	PC
MB	1012			763487	34-SPMBT4403/DG18-HF	TRX PNP 40V 0.6APMBT4403/DGSOT23	PHILIPS	PMBT4403/DG	RD-AP0810156A	Q002	1	PC
MB	1012-A			728569	34-SKN4403S-RTK/P49-ROHS	TRX PNP 40V 0.6A KN4403S-RTK/P	kec	KN4403S-RTK/P	RD-AP2204155B		0	PC
MB	1012-B			732777	34-SMMBT4403-F47-HF	TRX PNP 40V 0.6AMMBT4403-FSOT23	DII	MMBT4403-7-F	RD-AP1608431B		0	PC
MB	1013			740991	33-SMMSZ5242B-7-F47-HF	Z.D 0.5W 12V MMSZ5242B-7-FSOD123	DII	MMSZ5242B	RD-AP0501120A	ZD320	1	PC
MB	1013-A			788099	33-SMMSZ5242A67-ROHS	Z.D 0.5W 12V MMSZ5242A SOD123	PANJIT	MMSZ5242A	RD-AP1107196B		0	PC
MB	1013-B			741313	33-SMMSZ5242BT1G11-HF	Z.D 0.5W 12V MMSZ5242BT1GSOD123	ON	MMSZ5242BT1	RD-AP0501118A		0	PC
MB	1014			817760	33-SMMSZ5239BT1G11-HF	Z.D 0.5W 9.1V MMSZ5239BT1GSOD123	ON	MMSZ5239BT1G	RD-AP1504207A	ZD001	1	PC
MB	1014-A			756195	33-SMMSZ5239B-7-F47-HF	Z.D 0.5W 9.1V MMSZ5239B-7FSOD123	DII	MMSZ5239B-7-F	RD-AP0702156A		0	PC
MB	1014-B			8A020Z	33-SZRMMSZ520000800P02-2	Z.D 0.5W 9.1V MMSZ5239B SOD123	PANJIT	MMSZ5239B	RD-AP1806024A		0	PC
MB	1015			741482	33-SES1D13-HF	DIO 200V 1A ES1D SMA	LITE-ON SEMI	ES1D	RD-AP1806174B	D051,D052	2	PC
MB	1015-A			772583	33-SES1D47-HF	DIO 200V 1A ES1D SMA	DII	ES1D-13-F	RD-AP1608220B		0	PC
MB	1015-B			8A020Y	33-SRDES1D0000000100P02-2	DIO 200V 1A ES1D SMA	PANJIT	ES1D	RD-AP1806097A		0	PC
MB	1016			750846	33-SBAV21W-7-F47-HF	DIO 200V 0.5A BAV21W-7-F SOD123	DII	BAV21W-7-F	RD-AP0709233A	D053	1	PC
MB	1016-A			811838	33-SBAV21W13-HF	DIO 250V 0.2A BAV21W SOD123	LITE-ON SEMI	BAV21W	RD-AP1604286B		0	PC
MB	1016-B			769345	33-SBAV21W67-HF	DIO 200V 0.2A BAV21W SOD123	PANJIT	BAV21W	RD-AP1001228A		0	PC
MB	1017			825370	33-SMURS460C13-HF	DIO 600V 4A MURS460C SMC	LITE-ON SEMI	MURS460C	RD-AP1611163A	D003	1	PC
MB	1017-A			825372	33-SMURC5J67-HF	DIO 600V 5A MURC5J SMC	PANJIT	MURC5J	RD-AP1610182A		0	PC
MB	1017-B			8A00YS	33-SRDMUR5600000300W20-2	DIO 600V 5A MUR560 SMC	WeEn	MUR560	RD-AP1712297A		0	PC
MB	1018			750059	33-SUS1J13-ROHS	DIO 600V 1A US1J SMA	LITE-ON SEMI	US1J	RD-AP0907137B	D054	1	PC
MB	1018-A			8A020W	33-SRDUS1J130000100D12-2	DIO 600V 1A US1J-13-F SMA	DII	US1J-13-F	RD-AP1807056A		0	PC
MB	1018-B			786852	33-SUS1J67-ROHS	DIO 600V 1A US1J SMA	PANJIT	US1J	RD-AP1108377B		0	PC
MB	1019			762986	33-SBZT52C6V8-7-F47-HF	Z.D 0.5W 6.4-7.2V BZT52C6V8-7-F	DII	BZT52C6V8-7-F	RD-AP0802089A	ZD101	1	PC

Part List

MASS PRODUCTION

Lite-On Technology Corporation.

Date: 05/05/2022

Power SBG

Model: PA-1131-29D1

Update: 05/05/2022

Version: 09

Board	Qty	Owner											
MB	1019-A	762987	33-SBZT52H-C6V8/DG18-HF	Z.D 0.375W 6.4-7.2V	BZT52H-C6V8	PHILIPS	BZT52H-C6V8	RD-AP0802090A				0	PC
MB	1019-B	771914	33-SMMSZ4692T1G11-HF	Z.D 0.5W 6.46-7.14V	MMSZ4692T1G	ON	MMSZ4692T1G	RD-AP0802091A				0	PC
MB	1021	* 793911	32-SAP4310AMTR-G190-HF	IC OPA 8P AP4310AMTR-G1	SOIC	BCD	AP4310AMTR-G1	RD-AP1208314A	IC400			1	PC
MB	1021-A	* 825025	32-SLB4310AAPG13-HF	IC OPA 8P LB4310AAPG	SOP	LITE-ON SEMI	LB4310AAPG	RD-AP17031047A				0	PC
MB	1023	752760	33-SBAS41618-HF	DIO 85V 0.2A BAS416	SOD323	PHILIPS	BAS416	RD-AP0510162A	D004			1	PC
MB	1023-A	813126	33-SBAV116WS-747-HF	DIO 85V 0.215A BAV116WS-7	SOD323	DII	BAV116WS-7	RD-AP14054115A				0	PC
MB	1024	724526	33-SBAW5618-HF	DIO 70V 0.25A BAW56	SOT23	PHILIPS	BAW56	RD-AP0504203A	D401			1	PC
MB	1024-A	787310	33-SBAW56-G47-HF	DIO 75V 0.3A BAW56-G	SOT23	DII	BAW56-G	RD-AP1212079B				0	PC
MB	1024-B	785093	33-SBAW5613-ROHS	DIO 70V 0.2A BAW56	SOT23	LITE-ON SEMI	BAW56	RD-AP1109044A				0	PC
MB	1028	810955	33-S1N4148W-HF13-HF	DIO 100V 0.15A 1N4148W-HF	SOD123	LITE-ON SEMI	1N4148W-HF	RD-AP1711005C	D002,D020,D022,D056,D057			5	PC
MB	1028-A	753893	33-S1N4148W-7-F47-HF	DIO 75V 0.3A 1N4148W-7-F	SOD123	DII	1N4148W-7-F	RD-AP1608350B				0	PC
MB	1028-B	763502	33-S1N4148W67-HF	DIO 75V 0.15A 1N4148W	SOD123	PANJIT	1N4148W	RD-AP0808339A				0	PC
MB	1029	* * 810820	33-ETVR10561KSRR221W-ROHS	ABSORBER350V4000ATVR10561KSRR221		THINKING	TVR10561KSRR221W	RD-AP2007187C	RV001			1	PC
MB	2001	799081	30-SV625F4E07-HF	R.HV 6.2M 1/4W F RV500V1206	YAGEO	YAGEO	RV1206FR-076M2L	RD-AP2111225BG	R005,R006			2	PC
MB	2001-A	799071	30-SV625F4E016-HF	R.HV 6.2M 1/4W FRTV500V1206	RALEC	RALEC	RTV066204FTP	RD-AP1708324Q				0	PC
MB	2002	913334	30-S1005F4SA2-HF	R.MF 10M 1/4W F 1206 RC	YAGEO	YAGEO	RC1206FR-0710ML	RD-AP2011032AY	R001,R002			2	PC
MB	2002-A	913812	30-S1005F4SA6-HF	R.MF 10M 1/4W F 1206 RTT	RALEC	RALEC	RTT061005FTP	RD-AP2111286BB				0	PC
MB	2002-B	913343	30-S1005F4SA17-HF	R.MF 10M 1/4W F 1206 WR	WALSIN	WALSIN	WR12W1005FTL	RD-AP2006069AM				0	PC
MB	2003	903694	30-S5101F4SA6-HF	R.MF 5.1K 1/4W F 1206 RTT	RALEC	RALEC	RTT065101FTP	RD-AP2111335BJ	R009			1	PC
MB	2003-A	910285	30-S5101F4SA2-HF	R.MF 5.1K 1/4W F 1206 RC	YAGEO	YAGEO	RC1206FR-075K1L	RD-AP2011032AY				0	PC
MB	2003-B	916304	30-S5101F4SA17-HF	R.MF 5.1K 1/4W F 1206 WR	WALSIN	WALSIN	WR12X5101FTL	RD-AP2006069AM				0	PC
MB	2004	8A00G3	30-SCH620112T000200285-2	R.MF 6.2K 1/2W F 1206WF12PW	WALSIN	WALSIN	WF12P6201FTL	RD-AP2106051AV	R112,R113,R115,R119			4	PC
MB	2004-A	8A00G4	30-SCH620112T000200Y00-2	R.MF 6.2K 1/2W F 1206 RC	YAGEO	YAGEO	RC1206FR-7W6K2L	RD-AP2009155CA				0	PC
MB	2005	912170	30-S4301F10SA6-HF	R.MF 4.3K 1/10W F 0603 RTT	RALEC	RALEC	RTT034301FTP	RD-AP2111335BJ	R003			1	PC
MB	2005-A	912159	30-S4301F10SA2-HF	R.MF 4.3K 1/10W F 0603 RC	YAGEO	YAGEO	RC0603FR-074K3L	RD-AP2011032AY				0	PC
MB	2005-B	912162	30-S4301F10SA17-HF	R.MF 4.3K 1/10W F 0603 WR	WALSIN	WALSIN	WR06X4301FTL	RD-AP2006069AM				0	PC
MB	2006	903901	30-S3302F10SA2-HF	R.MF 33K 1/10W F 0603 RC	YAGEO	YAGEO	RC0603FR-0733KL	RD-AP2011032AY	R004			1	PC
MB	2006-A	911757	30-S3302F10SA6-HF	R.MF 33K 1/10W F 0603 RTT	RALEC	RALEC	RTT033302FTP	RD-AP2111335BJ				0	PC
MB	2006-B	911775	30-S3302F10SA17-HF	R.MF 33K 1/10W F 0603 WR	WALSIN	WALSIN	WR06X3302FTL	RD-AP2006069AM				0	PC
MB	2007	900495	30-S2001F10SA2-HF	R.MF 2.0K 1/10W F 0603 RC	YAGEO	YAGEO	RC0603FR-072KL	RD-AP2011032AY	R107			1	PC
MB	2007-A	911541	30-S2001F10SA6-HF	R.MF 2K 1/10W F 0603 RTT	RALEC	RALEC	RTT032001FTP	RD-AP2111335BJ				0	PC
MB	2007-B	912616	30-S2001F10SA17-HF	R.MF 2K 1/10W F 0603 WR	WALSIN	WALSIN	WR06X2001FTL	RD-AP2006069AM				0	PC
MB	2009	904123	30-S3304F4SA2-HF	R.MF 3.3M 1/4W F 1206 RC	YAGEO	YAGEO	RC1206FR-073M3L	RD-AP2011032AY	R007			1	PC
MB	2009-A	911766	30-S3304F4SA6-HF	R.MF 3.3M 1/4W F 1206 RTT	RALEC	RALEC	RTT063304FTP	RD-AP2111335BJ				0	PC
MB	2009-B	912646	30-S3304F4SA17-HF	R.MF 3.3M 1/4W F 1206 WR	WALSIN	WALSIN	WR12W3304FTL	RD-AP2111013CD				0	PC
MB	2010	766708	30-SV225F4E07-HF	R.HV 2.2M 1/4W F RV500V1206	YAGEO	YAGEO	RV1206FR-072M2L	RD-AP1612225B	R012,R013			2	PC
MB	2010-A	796249	30-SV225F4E016-HF	R.HV 2.2M 1/4W FRTV500V1206	RALEC	RALEC	RTV062204FTP	RD-AP1708324Q				0	PC
MB	2014	900751	30-S200AJ4SA2-HF	R.CF 20 1/4W J 1206 RC	YAGEO	YAGEO	RC1206JR-0720RL	RD-AP2011032AY	R017			1	PC
MB	2014-A	901216	30-S200AJ4SA6-HF	R.CF 20 1/4W J 1206 RTT	RALEC	RALEC	RTT06200JTP	RD-AP2111335BJ				0	PC
MB	2014-B	919071	30-S200AJ4SA17B-HF	R.CF 20 1/4W J 1206 WR	WALSIN	WALSIN	WR12X200 JTL	RD-AP2111013CD				0	PC
MB	2015	900426	30-S2002F10SA2-HF	R.MF 20K 1/10W F 0603 RC	YAGEO	YAGEO	RC0603FR-0720KL	RD-AP2011032AY	R118			1	PC
MB	2015-A	911715	30-S2002F10SA6-HF	R.MF 20K 1/10W F 0603 RTT	RALEC	RALEC	RTT032002FTP	RD-AP2111335BJ				0	PC
MB	2015-B	912630	30-S2002F10SA17-HF	R.MF 20K 1/10W F 0603 WR	WALSIN	WALSIN	WR06X2002FTL	RD-AP2006069AM				0	PC

Lite-On Technology Corporation.

Date: 05/05/2022

Power SGB
Model: PA-1131-29D1
Update: 05/05/2022
Version: 09

Page. 3/8

Part List
MASS PRODUCTION

Date: 05/05/2022

Lite-On Technology Corporation.

Power SBG

Model: PA-1131-29D1

Update: 05/05/2022

Version: 09

Board	Qty	Owner							
MB	2043-A	901202	30-S0000J4SA6A-HF	R.CF 0 1/4W J 1206 RTT RALEC	RALEC	RTT06000JTP	RD-AP2111335BJ		0 PC
MB	2043-B	911413	30-S0000J4SA17-HF	R.CF 0 1/4W J 1206 WR WAL SIN	WAL SIN	WR12X000 PTL	RD-AP2006069AM		0 PC
MB	2044	900463	30-S0000J10SA2-HF	R.CF 0 1/10W J 0603 RC YAGEO	YAGEO	RC0603JR-070RL	RD-AP2011032AY	JP22,JP24,JP25,JP26,J P27,JP28,JP30	7 PC
MB	2044-A	903655	30-S0000J10SA6-HF	R.CF 0 1/10W J 0603 RTT RALEC	RALEC	RTT03000JTP	RD-AP2111335BJ		0 PC
MB	2044-B	912176	30-S0000J10SA17-HF	R.CF 0 1/10W J 0603 WR WAL SIN	WAL SIN	WR06X000 PTL	RD-AP2006069AM		0 PC
MB	2045	903675	30-S0000J8SA6-HF	R.CF 0 1/8W J 0805 RTT RALEC	RALEC	RTT05000JTP	RD-AP2111335BJ	R125	1 PC
MB	2045-A	900537	30-S0000J8SA2-HF	R.CF 0 1/8W J 0805 RC YAGEO	YAGEO	RC0805JR-070RL	RD-AP2011032AY		0 PC
MB	2045-B	912529	30-S0000J8SA17-HF	R.CF 0 1/8W J 0805 WR WAL SIN	WAL SIN	WR08X000 PTL	RD-AP2006069AM		0 PC
MB	2046	821927	30-S30DFCSAD-HF	R.MF 0.003 3W F 2512 PA YAGEO	YAGEO	PA2512FKF7T0R003E	RD-AP2109225AA	R211	1 PC
MB	2046-A	826903	30-S30DFCSAF-HF	R.MF 0.003 3W F 2512 RLP TAI	TAI	RLP25FEGR003	RD-AP2109241K		0 PC
MB	2046-B	821954	30-S30DFCSAE-HF	R.MF 0.003 3W F 2512 LRN RALEC	RALEC	LRN2512-23R003F4	RD-AP2011279R		0 PC
MB	2047	916152	30-S2200F10SA2-HF	R.MF 220 1/10W F 0603 RC YAGEO	YAGEO	RC0603FR-07220RL	RD-AP2011032AY	R401	1 PC
MB	2047-A	917580	30-S2200F10SA6-HF	R.MF 220 1/10W F 0603 RTT RALEC	RALEC	RTT032200FTP	RD-AP2111286BB		0 PC
MB	2047-B	918432	30-S2200F10SA17-HF	R.MF 220 1/10W F 0603 WR WAL SIN	WAL SIN	WR06X2200FTL	RD-AP2111013CD		0 PC
MB	2048	910530	30-S7872F10SA2-HF	R.MF 78.7K 1/10W F 0603 RC YAGEO	YAGEO	RC0603FR-0778K7L	RD-AP2011032AY	R403	1 PC
MB	2048-A	913482	30-S7872F10SA6-HF	R.MF 78.7K 1/10W F 0603 RTTRALEC	RALEC	RTT037872FTP	RD-AP2111335BJ		0 PC
MB	2048-B	917110	30-S7872F10SA17-HF	R.MF 78.7K 1/10W F 0603 WRWAL SIN	WAL SIN	WR06X7872FTL	RD-AP2006069AM		0 PC
MB	2049	903724	30-S1022F10SA2-HF	R.MF 10.2K 1/10W F 0603 RC YAGEO	YAGEO	RC0603FR-0710K2L	RD-AP2011032AY	R403-1	1 PC
MB	2049-A	914008	30-S1022F10SA6-HF	R.MF 10.2K 1/10W F 0603 RTTRALEC	RALEC	RTT031022FTP	RD-AP2111335BJ		0 PC
MB	2050	912791	30-S5602F10SA2-HF	R.MF 56K 1/10W F 0603 RC YAGEO	YAGEO	RC0603FR-0756KLL	RD-AP2011032AY	R404	1 PC
MB	2050-A	912978	30-S5602F10SA6-HF	R.MF 56K 1/10W F 0603 RTT RALEC	RALEC	RTT035602FTP	RD-AP2111335BJ		0 PC
MB	2050-B	912979	30-S5602F10SA17-HF	R.MF 56K 1/10W F 0603 WR WAL SIN	WAL SIN	WR06X5602FTL	RD-AP2006069AM		0 PC
MB	2051	900542	30-S1271F10SA2-HF	R.MF 1.27K 1/10W F 0603 RC YAGEO	YAGEO	RC0603FR-071K27L	RD-AP2011032AY	R404-2	1 PC
MB	2051-A	913566	30-S1271F10SA6-HF	R.MF 1.27K 1/10W F 0603 RTTRALEC	RALEC	RTT031271FTP	RD-AP2111335BJ		0 PC
MB	2051-B	918703	30-S1271F10SA17-HF	R.MF 1.27K 1/10W F 0603 WRWAL SIN	WAL SIN	WR06X1271FTL	RD-AP2111013CD		0 PC
MB	2059	900836	30-S470BF4SA2-HF	R.MF 4.7 1/4W F 1206 RC YAGEO	YAGEO	RC1206FR-074R7L	RD-AP2011032AY	R065	1 PC
MB	2059-A	912652	30-S470BF4SA6-HF	R.MF 4.7 1/4W F 1206 RTT RALEC	RALEC	RTT064R70FTP	RD-AP2111335BJ		0 PC
MB	2059-B	914486	30-S470BF4SA17-HF	R.MF 4.7 1/4W F 1206 WR WAL SIN	WAL SIN	WR12W4R70FTL	RD-AP2201191AN		0 PC
MB	2060	903682	30-S1002F10SA6-HF	R.MF 10K 1/10W F 0603 RTT RALEC	RALEC	RTT031002FTP	RD-AP2111335BJ	R302,R067,R303	3 PC
MB	2060-A	900422	30-S1002F10SA2-HF	R.MF 10K 1/10W F 0603 RC YAGEO	YAGEO	RC0603FR-0710KL	RD-AP2011032AY		0 PC
MB	2060-B	911449	30-S1002F10SA17-HF	R.MF 10K 1/10W F 0603 WRWAL SIN	WAL SIN	WR06X1002FTL	RD-AP2006069AM		0 PC
MB	2061	903116	30-S7502F10SA2-HF	R.MF 75K 1/10W F 0603 RC YAGEO	YAGEO	RC0603FR-0775KLL	RD-AP2011032AY	R301	1 PC
MB	2061-A	911238	30-S7502F10SA6-HF	R.MF 75K 1/10W F 0603 RTT RALEC	RALEC	RTT037502FTP	RD-AP2111335BJ		0 PC
MB	2061-B	913026	30-S7502F10SA17-HF	R.MF 75K 1/10W F 0603 WR WAL SIN	WAL SIN	WR06X7502FTL	RD-AP2006069AM		0 PC
MB	2066	911991	30-S7500F10SA6-HF	R.MF 750 1/10W F 0603 RTT RALEC	RALEC	RTT037500FTP	RD-AP2111335BJ	R302-1	1 PC
MB	2066-A	903253	30-S7500F10SA2-HF	R.MF 750 1/10W F 0603 RC YAGEO	YAGEO	RC0603FR-07750RL	RD-AP2011032AY		0 PC
MB	2066-B	912976	30-S7500F10SA17-HF	R.MF 750 1/10W F 0603 WR WAL SIN	WAL SIN	WR06X7500FTL	RD-AP2006069AM		0 PC
MB	2067	904794	30-S3741F10SA2-HF	R.MF 3.74K 1/10W F 0603 RC YAGEO	YAGEO	RC0603FR-073K74L	RD-AP2011032AY	R304	1 PC
MB	2067-A	913276	30-S3741F10SA6-HF	R.MF 3.74K 1/10W F 0603 RTTRALEC	RALEC	RTT033741FTP	RD-AP2111335BJ		0 PC
MB	2067-B	913275	30-S3741F10SA17-HF	R.MF 3.74K 1/10W F 0603 WRWAL SIN	WAL SIN	WR06X3741FTL	RD-AP2111013CD		0 PC
MB	2068	903771	30-S100AJ8SA2-HF	R.CF 10 1/8W J 0805 RC YAGEO	YAGEO	RC0805JR-0710RL	RD-AP2011032AY	R010	1 PC
MB	2068-A	911887	30-S100AJ8SA6-HF	R.CF 10 1/8W J 0805 RTT RALEC	RALEC	RTT05100JTP	RD-AP2111335BJ		0 PC
MB	2068-B	912455	30-S100AJ8SA17-HF	R.CF 10 1/8W J 0805 WR WAL SIN	WAL SIN	WR08X100 JTL	RD-AP2006069AM		0 PC
MB	2071	903769	30-S1300J4SA2-HF	R.CF 130 1/4W J 1206 RC YAGEO	YAGEO	RC1206JR-07130RL	RD-AP2011032AY	R320	1 PC

Lite-On Technology Corporation.

Date: 05/05/2022

Page. 5/8

Lite-On Technology Corporation.

Date: 05/05/2022

Page. 6/8

Lite-On Technology Corporation.

Power SBG
Model: PA-1131-29D1
Update: 05/05/2022
Version: 09

Date: 05/05/2022

	Qty	Owner										
MB	3039-A	901732	31-S2103K5064A-HF	C.MON 0.01UF 50V K X7R0603CC0603	YAGEO	CC0603KRX7R9BB103	RD-AP2104107AT					0 PC
MB	3040	904649	31-S2223K5065-HF	C.MON 0.022UF 50V K X7R06030603B	WALSIN	0603B223K500CT	RD-AP2111104AQ	C103				1 PC
MB	3040-A	900700	31-S2223K5064-HF	C.MON 0.022UF 50V KX7R0603CC0603	YAGEO	CC0603KRX7R9BB223	RD-AP2104107AT					0 PC
MB	3042	904641	31-S2154K2565-HF	C.MON 0.15UF 25V K X7R 06030603B	WALSIN	0603B154K250CT	RD-AP2111104AQ	C303				1 PC
MB	3042-A	904640	31-S2154K2564-HF	C.MON 0.15UF 25V K X7R0603CC0603	YAGEO	CC0603KRX7R8BB154	RD-AP2104107AT					0 PC
MB	3043	915080	31-S2106K25217B-HF	C.MON 10UF 25V K X7R 1206TMK316A	TAIYO YUDEN	TMK316AB7106KL-T	RD-AP21111456S	C055				1 PC
MB	3043-A	910995	31-S2106K2528A-HF	C.MON 10UF 25V K X7R 1206 GRM31	MURATA	GRM31CR71E106KA12L	RD-AP1501152Y					0 PC
MB	3043-B	8A00PA	31-SM110025T10000400S04-2	C.MON 10UF 25V K X7R 1206 CL13B	SAMSUNG	CL13B106KAHNFNE	RD-AP1804273A					0 PC
MB	3044	900823	31-S2103K5065-HF	C.MON 0.01UF 50V K X7R 06030603B	WALSIN	0603B103K500CT	RD-AP2111104AQ	C405				1 PC
MB	3044-A	901732	31-S2103K5064A-HF	C.MON 0.01UF 50V K X7R0603CC0603	YAGEO	CC0603KRX7R9BB103	RD-AP2104107AT					0 PC
MB	3045	903874	31-S2471J5065-HF	C.MON 470PF 50V J NPO 0603 0603N	WALSIN	0603N471J500LT	RD-AP2111104AQ	C108				1 PC
MB	3045-A	903875	31-S2471J5064-HF	C.MON 470PF 50V J NPO 0603CC0603	YAGEO	CC0603JRNPO9BN471	RD-AP2104107AT					0 PC
MB	3046	903787	31-S2104K505-HF	C.MON 0.1UF 50V K X7R 08050805B	WALSIN	0805B104K500CT	RD-AP2111104AQ	C210-1,C208,C210-2				3 PC
MB	3046-A	900608	31-S2104K5014-HF	C.MON 0.1UF 50V K X7R 0805CC0805	YAGEO	CC0805KKX7R9BB104	RD-AP2104107AT					0 PC
MB	3047	908217	31-S2223K5015-HF	C.MON 0.022UF 50V K X7R08050805B	WALSIN	0805B223K500CT	RD-AP2111104AQ	C016				1 PC
MB	3047-A	904361	31-S2223K5014-HF	C.MON 0.022UF 50V KX7R0805CC0805	YAGEO	CC0805KRX7R9BB223	RD-AP2104107AT					0 PC
MB	3048	903811	31-S2683K1665-HF	C.MON 0.068UF 16V K X7R06030603B	WALSIN	0603B683K160CT	RD-AP2111104AQ	C402				1 PC
MB	3048-A	903812	31-S2683K1664-HF	C.MON 0.068UF 16V KX7R0603CC0603	YAGEO	CC0603KRX7R7BB683	RD-AP2104107AT					0 PC
MB	3049	903778	31-S2103K2565-HF	C.MON 0.01UF 25V K X7R 06030603B	WALSIN	0603B103K250CT	RD-AP2111104AQ	C403,C404				2 PC
MB	3049-A	903794	31-S2103K2564-HF	C.MON 0.01UF 25V K X7R0603CC0603	YAGEO	CC0603KRX7R8BB103	RD-AP2104107AT					0 PC
MB	3050	904687	31-S2105K1665A-HF	C.MON 1UF 16V K X7R 0603 0603B	WALSIN	0603B105K160CT	RD-AP2111104AQ	C406				1 PC
MB	3050-A	910921	31-S2105K16620-HF	C.MON 1UF 16V K X7R 0603 CL10	SAMSUNG	CL10B105KO8NFNC	RD-AP1304312L					0 PC
MB	3050-B	904359	31-S2105K1664A-HF	C.MON 1UF 16V K X7R 0603 CC0603	YAGEO	CC0603KRX7R7BB105	RD-AP2104107AT					0 PC
MB	3051	918491	31-S2224K5065-HF	C.MON 0.22UF 50V K X7R 06030603B	WALSIN	0603B224K500CT	RD-AP2111104AQ	C407				1 PC
MB	3051-A	918492	31-S2224K5064-HF	C.MON 0.22UF 50V K X7R0603CC0603	YAGEO	CC0603KRX7R9BB224	RD-AP2104107AT					0 PC
MB	4001	* *	730129	37-C1560201-ROHS	CHOKE TR12*6*4 A10	LI SHIN	T-FLN5036EL	RD-AP1907211E	L001			1 PC
MB	4002	* *	787271	37-C11312801-HF	CHOKE T16*12*8C A10	LI SHIN	T-FLNA046EH	RD-AP2010002E	L002			1 PC
MB	4002-A	* *	8A0FE3	37-D0SG090000000100547-2-37-C11312801	CHOKE T16*12*8C 12MH MIN	LI SHIN	T-FLNL065AP	RD-AP2104013A				0 PC
MB	4003	* *	792990	37-C11216201-HF	CHOKE T50-52B 219.3UH +-13%	LI SHIN	T-CLNC001AH	RD-AP1908227C	L003			1 PC
MB	4005	* *	8A00JQ	37-D0KG0100000000400547-4-37-PA11312901	PFC CHOKE RM10/15G 240UH +-5%	LI SHIN	T-QLNH032AR	RD-AP1812074B	L010			1 PC
MB	4007	* *	8A00J1	42-D0KG0100000000300547-4-42-PA11312901	XFMR A1131-29D1 RM1018G JPP44A	LI SHIN	T-PLNH110AR	RD-AP2101501D	T050			1 PC
MB	4010	* *	728787	37-S15000201-HF	CHIP BEAD TI321611U310	WHOLE	TI321611U310	RD-AP1011226D	B001			1 PC
MB	4013	* *	8A069Q	37-DBCSRH2530000100SA5-2-37-PA16500801	BEAD CORE SRH2530TL-J5C-CU065R	SOLDIER	SRH2530TL-J5C-CU065R	RD-AP2112210C	B003,B050,B051,B052,BY1			5 PC
MB	5001	* *	793175	04-PM11312802-ROHS	DC CORD 1800 PA-1131-28D1	LINETEK	793175	RD-AP2111407F	DC CORD			1 PC
MB	5001-A	* *	8A08Q6	04-DCPA113120000200547-1	DC CORD 1800 PA-1131-29D1	LINETEK	8A08Q6	RD-AP2004412A				0 PC
MB	5003	* *	8A00JT	04-WA3266WHT0000300547-2	WIRE+2H+TUB 3266 #22 120 W(1.2)	HCR	8A00JT	RD-AP1806100A	FG1,FG2			1 PC
MB	6001	* *	826715	46-M113128CS10-ROHS	CASE-TOP 76.2*154.7*15.7 PC	CHIN YUAN	826715	RD-AP2004546B	CASE-TOP			1 PC
MB	6002	* *	826716	46-M113128CS11-ROHS	CASE-BTM 76.2*154.7*12.7 PC	KANGPU	826716	RD-AP2004547D	CASE-BTM			1 PC
MB	6003	* *	8A00Q0	52-P036021150000100547-1	HS STAMPING 36.8*21.7*15.5 AL	WAN CHENG	8A00Q0	RD-AP1804526A	HS(D200, D201)			1 PC
MB	6006	* *	8A00K1	52-S128070200000100547-1	SHIELD-TO 128.5*70.5*20.0 AL	AWINTEC	8A00K1	RD-AP1805062A	SHIELD TOP			1 PC
MB	6007	* *	8A00K2	52-S128069210000400547-1	SHIELD-BTM 128.5*69.5*21 AL	AWINTEC	8A00K2	RD-AP1805167A	SHIELD BTM			1 PC
MB	6008		701101	50-N1243021-HF	NUT 3*0.5*2.4 NI	KUAO LENG	701101	RD-AP2006293G	D200, D201			2 PC
MB	6010		755103	50-S183007022-HF	SCREW+M CH 3*0.5*7*0.9 NI+NL	DURABLE	755103	RD-AP1705269I	D200, D201			2 PC
MB	6011	* *	736759	43-M115105SR6-HF	RUBBER 8*8*1.0 RB B	EVERFAME	RUBBER 8*8*1.0 RB B	RD-AP1003179B	C051			1 PC

Part List

MASS PRODUCTION

Date: 05/05/2022

Lite-On Technology Corporation.

Power SBG

Model: PA-1131-29D1

Update: 05/05/2022

Version: 09

Board	Qty	Owner								
MB	6017	*	8A00K0	28-M137068PL00500547-2	ISL-PLT 137.1*68.3*0.43 MYLAR	LIH DAR	8A00K0	RD-AP1904363B	FRPP	1 PC
MB	6020	*	793344	28-M113128PL6-HF	ISL-PLT 17*9.5*15 FRPP	AWINTEC	793344	RD-AP1511327A	L003	1 PC
MB	6022	*	819067	44-M190032SR1-ROHS	PCB SUPPORT 3.0*2.3 NY46	HI-TECH	LD1077	RD-AP2008252C	RUBBER1, RUBBER2, RUBBER3	3 PC
MB	7001	* *	750040	38-T32A0222-HF	FUSE SB 250V 3.15A 8.35*4.3*7MST	CONQUER	MST 3.15A 250V	RD-AP1610310I	F001	1 PC
MB	7001-A	* *	750160	38-T32A012-ROHS	FUSE SB 250V 3.15A RST	BEL	RST 3.15A	RD-AP0812631E		0 PC
MB	7001-B	* *	732038	38-T32A0825-HF	FUSE HSB 250V 3.15A TE5-T	WICKMANN	392131500000	RD-AP1912148F		0 PC
MB	7003	*	8A00J5	01-RPA113120A000100547-1	PCB A1131-29D1 142*67*1.2 2/0 A	HAIHONG	PP10652Q3	RD-AP2007002B	MAIN PCB	1 PC
MB	7003-A	*	8A0JB5	01-RPA113120A000300547-1	PCB A1131-29D1 142*67*1.2 2/0 A	HAIHONG	SP14454A0	RD-AP2103530A		0 PC
MB	7004	*	8A028Q	43-IOPA113120000100B05-1	INLET 250V 2.5A ST-A04-001-L031	BEJ	ST-A04-001-L031	RD-AP1908336C	INLET	1 PC
MB	7004-A	*	8A0286	43-IOPA113120000100214-1	INLET250V2.5ASK03-2701182023C-32	HCR	8A0286	RD-AP1809356B		0 PC
MB	8001		730048	92-MUC8-HF	OUT-CTN 543*365*215	AMB	730048	RD-AP1706305U	CTN	0.04 PC
MB	8002		767899	91-M140008PA1-HF	PA PLT 535*355*4	SYUTAI	767899	RD-AP1204139C	CTN	0.04 PC
MB	8003		787136	91-M113128PL1-HF	PA PLT LAY 543*365*215*6.5	MINPAO	787136	RD-AP2102011D	CTN	0.04 PC
MB	8004		788034	90-M112128DL1-HF	PE BAG 550*140*0.05 TDP	LUCHEN	788034	RD-AP1411185C	PE BAG	1 PC
MB	8005		729792	55-MPA1-HF	PALLET 1170*1140*119	MULINSEN	729792	RD-AP1708242H	PALLET	0.00166 PC
MB	8006		729660	93-M13804BC1-HF	LBL-BAR 152*102	WENTEK	729660	RD-AP2108430D	CTN	0.04 PC
MB	8007	*	6A002S	93-MPA11311D0000100547-2	LBL-ID 79.8*50.4 PA-1131-29D1	HI-TECH	6A002S	RD-AP2005618B	CASE BTM	1 PC
MB	9001	*	796879	43-CT44B-ROHS	CABLE TIE 250*14 SILIC B	HI-TECH	796879	RD-AP2005486B	CASE	1 PC
MB	9003	*	720289	07-O184503A-HF	POLY TAPE 18*45M(2L) #40/#44	3M	#44	RD-AP1311081B	FG FIXED TAPE ON PCB	0.025 M

Remark: F(*): saFety part, R(*): cRitical part

Note: This Part List is prepared by Design department for cost estimation.

All of indirect material as solder, flux, glue, thinner, cleaner etc. are not listed on this part list.